

SAFETY DATA SHEET

Issue Date 01-Jun-2017 Revision Date 01-Jun-2017 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name POLYLUB WH 2

Other means of identification

Product code: 096023 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.
Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier Address Klüber Lubrication NA LP 32 Industrial Drive

Londonderry, NH 03053 Phone: (603) 647-4104 Fax: (603) 647-4106

Emergency telephone number

Emergency Telephone CHEMTREC: 1-800-424-9300; INTERNATIONAL: (703) 527-3887

2. HAZARD IDENTIFICATION

Classification

WHMIS 2015 Regulatory Status

This chemical is considered hazardous by the Canadian Hazardous Products Regulations (WHMIS 2015).

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

Label Elements

EMERGENCY OVERVIEW

Signal word Danger

Hazard statements

Causes serious eye damage May cause an allergic skin reaction





Appearance Paste Physical state Solid Odor Mild

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Skin IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity

7.841% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the Canadian Hazardous Products Regulation (WHMIS 2015).

•

Components	CAS-No	Weight %	Trade Secret
Mineral Oil	Proprietary	50 - 90%	*
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8	1 - 5%	*
Titanium Dioxide	Proprietary	1 - 3%	*
N-Methyl-N-oleoylglycine	110-25-8	0.25 - 1%	*
N,N-bis(2-Ethylhexyl)-ar-methyl-1H-benzotria zole-1-methanamine	94270-86-7	0.1 - 0.3%	*

4. FIRST AID MEASURES

First aid measures

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact: Rinse with plenty of water. If skin irritation persists, call a physician.

Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

If symptoms persist, call a physician.



Ingestion: Do not induce vomiting. Consult a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Carbon dioxide (CO2). Dry chemical. Dry sand. Water spray mist or foam.

Unsuitable extinguishing media Do not Specific hazards arising from the chemical

Do not use a solid water stream as it may scatter and spread fire

Thermal decomposition can lead to release of irritating gases and vapors. Water may be used to cool closed containers.

Hazardous combustion products Carbon oxides. Phosphorus oxides. Oxides of sulfur.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for firefighters:

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Contaminated surfaces will be extremely slippery. Avoid contact with skin, eyes and

clothing. Wear personal protective equipment.

Environmental precautions

Environmental precautions: Do not allow material to contaminate ground water system. Prevent product from entering

drains. Avoid subsoil penetration.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Scrape-up. Pick up and transfer to properly labelled containers. Clean contaminated

surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not eat,

drink or smoke when using this product. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities



Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep cool. Keep in properly labelled containers. Keep away from direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Components	ACGIH TLV	OSHA (TWA mg/m ³):	IDLH:
Mineral Oil -	5 mg/m ³ (oil mist)	5 mg/m ³ (oil mist)	
Titanium Dioxide -	-	15 mg/m ³ (total dust)	

Appropriate engineering controls

Engineering measures to reduce

Ensure adequate ventilation, especially in confined areas.

exposure:

Individual protection measures, such as personal protective equipment

Respiratory protection: No personal respiratory protective equipment normally required.

Hand protection: Impervious gloves

Safety glasses with side-shields Eye protection:

Usual safety precautions while handling the product will provide adequate protection Skin and body protection:

against this potential effect

General Hygiene Considerations Avoid contact with skin, eyes and clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

Color White Odor thresholdNo information **Appearance** Paste Odor Mild

available

Not applicable **Property** Values Remarks • Method Boiling point / No information Melting No information

point/freezing available boiling range available

point

Flash point

Not Applicable ISO 2592 **Evaporation** No information available rate

Flammability No information **Flammability** (solid, gas) available Limit in Air

Upper No information Lower No information flammability available flammability available

limit: limit:

Vapor < 0.001 hPa, 20 Vapor density No information

> °C available

pressure **Specific** 0.93 Water Insoluble in Gravity solubility water

Solubility in No information Partition No information other solvents available coefficient available Autoignition No information **Decomposition**No information available available temperature temperature No information No information **Kinematic Dynamic**

available viscosity available viscosity

Explosive properties No information available No information available Oxidizing properties

Other information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable

Chemical stability

Stability Stable under normal conditions

Possibility of Hazardous Reactions

Possibility of Hazardous

Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid Heat, flames and sparks

Hazardous Decomposition Products

Hazardous Decomposition

Products

None under normal processing

Incompatible materials

Incompatible materials Strong oxidising agents

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Eye contact Corrosive to eyes.

Skin contact Prolonged contact may cause redness and irritation. May cause sensitization by skin

contact.

Inhalation Vapors and/or aerosols which may be formed at elevated temperatures may be irritating to

eyes and respiratory tract.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Zinc bis[O,O-bis(2-ethylhexyl)]	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
bis(dithiophosphate) - 4259-15-8			
Titanium Dioxide -	> 10000 mg/kg (Rat)	-	-

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization by skin contact.

Mutagenic effects: Did not show mutagenic or teratogenic effects in animal experiments.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.



Components	Titanium Dioxide -
ACGIH	-
IARC:	Group 2B
NTP Report on Carcinogens List -	-
OSHA	-

Reproductive toxicityThis product does not contain any known or suspected reproductive hazards.

STOT - Single ExposureSTOT - Repeated Exposure
None under normal use conditions.
None under normal use conditions.

Aspiration hazard Not applicable.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 7.841% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5494 mg/kg
ATEmix (dermal) 5355 mg/kg
ATEmix (inhalation-vapor) 24084 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

9.354% of the mixture consists of components(s) of unknown hazards to the aquatic environment

	Mineral Oil -			
Algae/aquatic plants				
Fish	5000: 96 h Oncorhynchus mykiss mg/L LC50			
Crustacea	1000: 48 h Daphnia magna mg/L EC50			
	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) - 4259-15-8			
Algae/aquatic plants	1.0 - 5.0: 96 h Pseudokirchneriella subcapitata mg/L EC50			
Fish	1.0 - 5.0: 96 h Pimephales promelas mg/L LC50 static 10.0 - 35.0: 96 h Pimephales promelas mg/L			
	LC50 semi-static			
Crustacea 1 - 1.5: 48 h Daphnia magna mg/L EC50				

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

The product is insoluble and floats on water.

Components	Partition coefficient
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) - 4259-15-8	2.86

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Empty containers should be taken for local recycling, recovery or waste disposal.



14. TRANSPORT INFORMATION

DOT Not Regulated

TDG Not Regulated

IATA-DGR Not Regulated

IMO / IMDG Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA: Listed in TSCA

DSL: All of the components in this product are listed in DSL

EINECS/ELINCS
CHINA:
This product complies with EINECS/ELINCS
This product complies with China IECSC.
KECL:
This product does not comply with Korea KECL.
This product complies with Philippines PICCS.

AICS: All the constituents of this material are listed on the Australian AICS

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Canada HPR Statement

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations (WHMIS 2015).

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Components	SARA 313 Threshold:
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	Zinc compound (1%)
SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

State Regulations (RTK)

California Proposition 65

This product contains the following Proposition 65 chemicals

Components	California Proposition 65 CRT List - Hazard Designation:
Titanium Dioxide	Listed: September 2, 2011 Carcinogenic.

U.S. State Right-to-Know Regulations

Components	NJRTK:	MARTK:	PARTK:
Mineral Oil -	Substance no. 1437 Listed. Substance no. 4004 Listed.	Not Listed	Not Listed
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) - 4259-15-8	Substance no. 3012 Listed	Not Listed	Listed
Titanium Dioxide -	Substance no. 1861 Listed.	Listed.	Listed.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

Nfpa: Health: 1 Flammability: 1 Instability 0

NFPA/HMIS * for Carc, Muta, Tera, Specific Organ *

HMIS health rating:

Health: 2 Flammability: 1 Physical hazards 0 Personal protection B

Issue Date01-Jun-2017Revision Date01-Jun-2017

Revision Note Not applicable Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

