



Safety Data Sheet

Stock Number: PFI54K5G
Date of the latest revision of the safety data sheet: 03-05-2024
Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

1 Identification

Product Identifier: PG CAN FS 5W 40 CK4 5g
Stock Number: PFI54K5G
Other means of identification:

Other means of identification:
Synonyms: No data available

Recommended use and restrictions on use:

Recommended use: Motor Oil
Restrictions on use: Uses other than those described above

Initial Supplier Identifier: Highline Warren LLC
8700 Trail Lake Drive West
Suite 300

Tel No.: Memphis, TN 38125

Email: +01 (901) 437-8615

Emergency telephone number and any restrictions on the use of that number, if applicable: sds@highlinewarren.com

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:
Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise classified None known.

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS registry number and any unique identifiers | Concentration |
|---|--------------------------|--|---------------|
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | No data available | 84605-20-9 | 1 - 5 |

Safety Data Sheet



Stock Number: PFI54K5G
Date of the latest revision of the safety data sheet: 03-05-2024
Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | | |
|--|-------------------|---------------|---------|
| Paraffin oils, petroleum, catalytic dewaxed heavy | No data available | 64742-70-7 | 1 - 5 |
| Petroleum distillates, hydrotreated heavy paraffinic | No data available | 64742-54-7 | 1 - 5 |
| Distillates, petroleum, hydrotreated light paraffinic | No data available | 64742-55-8 | 1 - 5 |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated | No data available | EPA-ACC-17799 | 1 - 5 |
| Distillates, petroleum, solvent-dewaxed light paraffinic | No data available | 64742-56-9 | 1 - 5 |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | No data available | 64742-65-0 | 5 - 10 |
| 1-Decene, homopolymer, hydrogenated | No data available | 68037-01-4 | 5 - 10 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | No data available | 72623-87-1 | 45 - 70 |

4 First-aid measures

| | |
|---|---|
| Inhalation: | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. |
| Eye contact: | None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard. |
| Skin Contact: | Wash with soap and water. Get medical attention if irritation develops or persists. |
| Ingestion: | Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS. |
| The most important symptoms and effects, whether acute or delayed: | May cause mild skin irritation. |
| An indication of immediate medical attention and special treatment needed, if necessary: | No additional first aid information available. |

5 Fire-fighting measures

| | |
|---|---|
| Suitable extinguishing media: | Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid. |
| Unsuitable extinguishing media: | No data available |
| Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion: | Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire. |



Safety Data Sheet

Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

Hazardous Combustion Products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide

Special protective equipment and precautions for firefighters: Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

Methods and materials for containment and cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure.

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |

Canada – British Columbia– Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------------------|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20- | No data available | No data available | No data available |



Safety Data Sheet

Stock Number: PF154K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | | |
|--|--|-------------------|-------------------|
| 50, hydrotreated neutral oil-based | | | |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | No data available | No data available | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 0.2 mg/m ³ TWA (mildly refined); 1 mg/m ³ TWA (severely refined) | No data available | No data available |

Canada – Manitoba – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | No data available | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |

Canada – New Brunswick – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | No data available | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |

Canada – Northwest Territories – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|---------------|-------------------------------------|--------------------------------------|--|
| | | | |

Safety Data Sheet



Stock Number: PF154K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | | |
|--|-------------------------|---------------------------|-------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |

Canada – Nova Scotia – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | No data available | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |

Canada – Nunavut – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |

Canada – Ontario – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | No data available | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |

Canada – Prince Edward Island – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------------------|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20- | 5 mg/m ³ TWA | No data available | No data available |



Safety Data Sheet

Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | | |
|--|-------------------------|-------------------|-------------------|
| 50, hydrotreated neutral oil-based | | | |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | No data available | No data available |

Canada – Quebec – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAEVs | Occupational Exposure Limits - STEVs | Occupational Exposure Limits - Ceiling |
|--|---------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | No data available | No data available | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | No data available | No data available | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | No data available | No data available | No data available |

Canada – Saskatchewan – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |

Canada - Yukon – Occupational Exposure Limits:

| Chemical Name | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|--|-------------------------------------|--------------------------------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |

| Chemical Name | OSHA PEL | ACGIH TLV-TWA | ACGIH STEL | IDLH |
|--|-------------------------|-------------------------|---------------------------|-------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |



Safety Data Sheet

Stock Number: PFI54K5G
Date of the latest revision of the safety data sheet: 03-05-2024
Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | | | |
|--|-------------------------|-------------------------|---------------------------|-------------------|
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
|--|-------------------------|-------------------------|---------------------------|-------------------|

Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear safety glasses when handling this product if there is a likelihood of contact with eyes.

Skin Protection: Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Hand protection: Nitrile

General hygiene conditions: No data available

9 Physical and chemical properties

| | |
|---|-------------------|
| Physical state: | Liquid |
| Colour: | Brown |
| Odour: | Mild Petroleum |
| Odour threshold: | Not determined |
| pH: | No data available |
| Melting point (°C): | No data available |
| Freezing point (°C): | No data available |
| Initial boiling point and boiling range (°C): | No data available |
| Flash point (°C): | 225 |
| Evaporation rate: | No data available |
| Flammability, in the case of solids and gases: | No data available |
| Upper flammable or explosive limit, % in air: | Not established |
| Lower flammable or explosive limit, % in air: | Not established |
| Vapour pressure: | No data available |
| Vapour density: | No data available |



Safety Data Sheet

Stock Number: PFI54K5G
Date of the latest revision of the safety data sheet: 03-05-2024
Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

Relative density: 0.86
Solubility: Negligible; 0-1% in water
Partition coefficient — n-octanol/water: No data available

Auto-ignition temperature (°C): No data available
Decomposition temperature (°C): Not determined
Viscosity: 93.4

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.
Chemical stability: Stable under normal conditions.
Possibility of hazardous reactions: None expected under standard conditions of storage.
Conditions to avoid, including static discharge, shock or vibration: Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Incompatible materials: Strong oxidizing agents
Hazardous decomposition products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): Eye contact, Ingestion, Inhalation, Skin contact
Symptoms related to the physical, chemical and toxicological characteristics: May cause mild skin irritation.
Immediate effects from short term exposure:
Inhalation: Likely to be practically non-toxic based on animal data. No hazard in normal industrial use.
Skin Contact: This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin irritation, defatting, and dermatitis.
Eye Contact: This material is likely to be non-irritating to eyes based on animal data.
Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.
Sensitization: No data available
Delayed and chronic effects from long term exposure:
Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.
Mutagenicity: No data available to indicate product or any components present at



Safety Data Sheet

Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

greater than 0.1% is mutagenic or genotoxic.
STOT-single exposure: Based on available data, the classification criteria are not met.
STOT-repeated exposure: Based on available data, the classification criteria are not met.
Aspiration hazard: Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if available): Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

| Chemical Name | CAS registry number and any unique identifiers | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|--|--|--------------------------------------|-----------------------------------|---|
| Alkyl phenol | 125643-61-0 | No data available | No data available | LC50 (96h) DANIO RERIO > 1000 mg/L |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | 36878-20-3 | EC50 (48h) Daphnia magna > 100 mg/L | EC50 (72h) Green Algae > 100 mg/L | LC50 (96h) Pimephales promelas (Fathead Minnow) > 1000 mg/L |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | EC50 (48h) Daphnia magna 190 mg/L | No data available | LC50 (96h) Rainbow Trout > 1000 mg/L |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |

Persistence and degradability: Biodegrades slowly.
Bioaccumulative potential: Bioconcentration may occur.



Safety Data Sheet

Stock Number: PF154K5G
Date of the latest revision of the safety data sheet: 03-05-2024
Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging: Spent or discarded material is non-hazardous according to environmental regulations.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport
UN Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG
UN Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA
UN Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable

Environmental hazards according to the International Maritime Dangerous Goods Code and the United Nations Model Regulations: No

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)): No data available

Special precautions in connection with transport or conveyance either within No data available



Safety Data Sheet

Stock Number: PFI54K5G
Date of the latest revision of the safety data sheet: 03-05-2024
Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

or outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question:

Canada - Domestic Substances List (DSL):

| Chemical Name | CAS No | Canada - Domestic Substances List (DSL) |
|---|------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | Yes |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | Yes |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | Yes |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | Yes |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | Yes |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | Yes |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | Yes |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | Yes |

Canada - Non-Domestic Substances List (NDSL):

| Chemical Name | CAS No | Canada - Non-Domestic Substances List (NDSL) |
|--|------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |

Safety Data Sheet



Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | |
|---|------------|----|
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivitives | 84605-20-9 | No |

Canada - Controlled Drugs and Substances:

| Chemical Name | CAS No | Schedule I | Schedule II | Schedule III | Schedule IV | Schedule V | Schedule VII | Schedule VIII |
|---|------------|------------|-------------|--------------|-------------|------------|--------------|---------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No | No | No | No | No | No | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No | No | No | No | No | No | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No | No | No | No | No | No | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No | No | No | No | No | No | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No | No | No | No | No | No | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No | No | No | No | No | No | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No | No | No | No | No | No | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivitives | 84605-20-9 | No | No | No | No | No | No | No |

Safety Data Sheet



Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| Chemical Name | CAS No | Class A Precursors | Class B Precursors | Exempt Precursors | Class 1 Targeted Substances | Class 2 Targeted Substances |
|---|------------|--------------------|--------------------|-------------------|-----------------------------|-----------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No | No | No | No | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No | No | No | No | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No | No | No | No | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No | No | No | No | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No | No | No | No | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No | No | No | No | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No | No | No | No | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No | No | No | No | No |

Canada - CEPA - Schedule III Export Control List:

| Chemical Name | CAS No | Part 1 Prohibited Substances | Part 2 Substances Subject to Notification or Consent | Part 3 Restricted Substances | Export Control List |
|---|------------|------------------------------|--|------------------------------|---------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- | 72623-87-1 | No | No | No | No |

Safety Data Sheet



Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | | | | |
|---|------------|----|----|----|----|
| based | | | | | |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No | No | No | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No | No | No | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No | No | No | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No | No | No | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No | No | No | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No | No | No | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No | No | No | No |

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

| Chemical Name | CAS No | Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting |
|--|------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated | 64742-54-7 | No |



Safety Data Sheet

Stock Number: PF154K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | |
|---|------------|----|
| heavy paraffinic | | |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

| Chemical Name | CAS No | Canada - Narcotic Control Regulations (C.R.C., c. 1041) |
|---|------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

| Chemical Name | CAS No | Canada - Ontario - Toxics Reduction - List of Priority Toxics |
|--|------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent- | 64742-56-9 | No |



Safety Data Sheet

Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | |
|---|------------|----|
| dewaxed light paraffinic | | |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

Stockholm Convention on Persistent Organic Pollutants:

| Chemical Name | CAS No | Stockholm Convention on Persistent Organic Pollutants |
|---|------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:



Safety Data Sheet

Stock Number: PFI54K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| Chemical Name | CAS No | Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade . |
|---|------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

| Chemical Name | CAS No | (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs) |
|--|------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |



Safety Data Sheet

Stock Number: PF154K5G
 Date of the latest revision of the safety data sheet: 03-05-2024
 Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | |
|---|------------|----|
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

Montreal Protocol on Substances that Deplete the Ozone Layer:

| Chemical Name | CAS No | Montreal Protocol on Substances that Deplete the Ozone Layer |
|---|------------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | No |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

| Chemical Name | CAS No | Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal |
|--|------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | No |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | No |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No |
| Distillates, petroleum, solvent- | 64742-56-9 | No |



Safety Data Sheet

Stock Number: PFI54K5G
Date of the latest revision of the safety data sheet: 03-05-2024
Supercedes: 02-05-2024

PG CAN FS 5W 40 CK4 5g

| | | |
|---|------------|----|
| dewaxed light paraffinic | | |
| Distillates, petroleum, hydrotreated light paraffinic | 64742-55-8 | No |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | No |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | No |

16 Other information

Date of the latest revision of the safety data sheet: 03-05-2024

Revision Number: 3

Reason for revision: Activated by Document Formulation Generation

Disclaimer: This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.