Versio 1.9	n Revision Date: 2022-02-19	-	DS Number: 00001003662	Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010
SECT	ON 1. IDENTIFICATION			
Р	roduct name	:	Pennzoil SAE 5W	/-20 Synthetic Blend Motor Oil
Р	roduct code	:	001D7516	
Μ	anufacturer or supplier's	deta	ails	
Μ	anufacturer/Supplier	:	<b>Shell Canada Pr</b> 400 - 4th Avenue Calgary AB T2P Canada	S.W
	elephone elefax	:	(+1) 8006611600 (+1) 4033848345	
E	mergency telephone num- er	:	CHEMTREC (24 (US)	hr): 1 (703) 527-3887 or 1 (800) 424-9300
R	ecommended use of the c	cher	nical and restriction	ons on use
R	ecommended use	:	Engine oil.	

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Based on available data this substance / mixture does not meet the classification criteria.

#### **GHS** label elements

Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.</li> </ul>
Precautionary statements	<ul> <li>Prevention: No precautionary phrases.</li> <li>Response: No precautionary phrases.</li> <li>Storage:</li> </ul>

Version Revision Date: 1.9 2022-02-19

SDS Number: 800001003662 Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010

No precautionary phrases. Disposal: No precautionary phrases.

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Substance name	:	Pennzoil SAE 5W-20 Synthetic Blend Motor Oil
Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. Classification based on DMSO extract content < 3% (Regula- tion (EC) 1272/2008, Annex VI, Part 3, Note L). * contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8, 64741-88-4, 64741-89-5.

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt	Not Assigned	0 - 90
@40°C) *		
Alkaryl amine	36878-20-3	1 - 3

## **SECTION 4. FIRST-AID MEASURES**

2/1	15	800001003662
	If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
	In case of eye contact	<ul> <li>Flush eye with copious quantities of water.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
	In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
	If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.

Version 1.9	Revision Date: 2022-02-19	SDS Number: 800001003662	Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010
and	st important symptoms l effects, both acute and ayed	of black pustu	ulitis signs and symptoms may include formation ules and spots on the skin of exposed areas. y result in nausea, vomiting and/or diarrhoea.
Protection of first-aiders		appropriate p	stering first aid, ensure that you are wearing the ersonal protective equipment according to the y and surroundings.
No	es to physician	: Treat sympto	matically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.	
Unsuitable extinguishing media	:	Do not use water in a jet.	
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.	
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.	
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).	

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	void contact with skin and eyes.	
Environmental precautions	Ise appropriate containment to avoid environm ation. Prevent from spreading or entering drair vers by using sand, earth, or other appropriate	ns, ditches or
	ocal authorities should be advised if significant annot be contained.	spillages
Methods and materials for	lippery when spilt. Avoid accidents, clean up i	mmediately.

Version 1.9	Revision Date: 2022-02-19	SDS Number: 800001003662	Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010
containment and cleaning up		or other contain Reclaim liquid c Soak up residue	preading by making a barrier with sand, earth ment material. lirectly or in an absorbent. e with an absorbent such as clay, sand or other al and dispose of properly.
Addi	tional advice	see Section 8 o	n selection of personal protective equipment f this Safety Data Sheet. n disposal of spilled material see Section 13 of a Sheet.

# SECTION 7. HANDLING AND STORAGE

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri ate controls for safe handling, storage and disposal of this material.	
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.	
Avoidance of contact	:	Strong oxidising agents.	
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.	
Storage			
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.	
		Store at ambient temperature.	
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.	
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.	

Version	Revision Date:	SDS Number:
1.9	2022-02-19	800001003662

Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010

### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-	-	
		late matter)		

#### **Biological occupational exposure limits**

No biological limit allocated.

### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

#### Engineering measures

: The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Version 1.9	Revision Date: 2022-02-19	SDS Number: 800001003662	Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010
		nance. Retain drain dou subsequent rec Always observe washing hands drinking, and/or protective equip	good personal hygiene measures, such as after handling the material and before eating, smoking. Routinely wash work clothing and ment to remove contaminants. Discard con- ng and footwear that cannot be cleaned.
Perso	onal protective equipr	nent	
	iratory protection	: No respiratory p conditions of us In accordance w tions should be If engineering c tions to a level w select respirator cific conditions of Check with resp Where air-filterin priate combinations of Select a filter su	vith good industrial hygiene practices, precau- taken to avoid breathing of material. ontrols do not maintain airborne concentra- which is adequate to protect worker health, ry protection equipment suitable for the spe- of use and meeting relevant legislation. biratory protective equipment suppliers. ng respirators are suitable, select an appro- tion of mask and filter. hitable for the combination of organic gases d particles [Type A/Type P boiling point
	protection marks	gloves approved US: F739) made suitable chemic gloves Suitabilit usage, e.g. freq sistance of glov glove suppliers. Personal hygier Gloves must on gloves, hands s cation of a non- For continuous through time of 480 minutes wh short-term/splas recognize that s may not be avai time maybe acc and replacemer a good predicto dependent on th	htact with the product may occur the use of d to relevant standards (e.g. Europe: EN374, e from the following materials may provide al protection. PVC, neoprene or nitrile rubber y and durability of a glove is dependent on uency and duration of contact, chemical re- e material, dexterity. Always seek advice from Contaminated gloves should be replaced. he is a key element of effective hand care. ly be worn on clean hands. After using hould be washed and dried thoroughly. Appli- perfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > ere suitable gloves can be identified. For sh protection we recommend the same but suitable gloves offering this level of protection ilable and in this case a lower breakthrough eptable so long as appropriate maintenance at regimes are followed. Glove thickness is not r of glove resistance to a chemical as it is ne exact composition of the glove material. a should be typically greater than 0.35 mm

Version 1.9	Revision Date: 2022-02-19	SDS Number: 800001003662	Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010	
		depending on t	he glove make and model.	
Еуе р	rotection		ndled such that it could be splashed into eyes, ear is recommended.	
Skin and body protection		work clothes.	<ul> <li>Skin protection is not ordinarily required beyond standard work clothes.</li> <li>It is good practice to wear chemical resistant gloves.</li> </ul>	
Thermal hazards		: Not applicable	: Not applicable	
			Personal protective equipment (PPE) should meet recom- mended national standards. Check with PPE suppliers.	

## **Environmental exposure controls**

General advice	<ul> <li>Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water.</li> <li>Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing</li> </ul>
	vapour.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid at room temperature.
Colour	:	amber
Odour	:	Data not available
Odour Threshold	:	Data not available
рН	:	Not applicable
pour point	:	-48 °C / -54 °F Method: ASTM D97
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °C / 536 °F estimated value(s)
Flash point	:	<= 211 °C / <= 412 °F
		Method: ASTM D93 (PMCC)

Versior 1.9	n Revision Date: 2022-02-19	SDS Nu 800001		Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010
E١	vaporation rate	: Da	ta not availabl	e
FI	ammability Flammability (solid, gas)	: No	t applicable	
	Flammability (liquids)	: No	Not classified as flammable but will burn.	
Lo	ower explosion limit and upp Upper explosion limit		sion limit / flam bical 10 %(V)	nmability limit
	Lower explosion limit	: Тур	bical 1 %(V)	
Va	apour pressure		.5 Pa (20 °C / imated value(s	
Re	elative vapour density	: > 1 est	imated value(s	5)
Re	elative density	: 0.8	555 (15.0 °C /	′ 59.0 °F)
De	ensity	: 855	5.5 kg/m3 (15.	0 °C / 59.0 °F)Method: ASTM D4052
So	blubility(ies) Water solubility	: neç	gligible	
	Solubility in other solvents	: Da	ta not availabl	e
	artition coefficient: n- ctanol/water		Pow: > 6 sed on inform	ation on similar products)
Αι	uto-ignition temperature	: >3	20 °C / 608 °F	-
De	ecomposition temperature	: Da	ta not availabl	e
Vi	scosity Viscosity, dynamic	: Da	ta not availabl	e
	Viscosity, kinematic		01 mm2/s (40 thod: ASTM D	.0 °C / 104.0 °F) 9445
			3 mm2/s (100 thod: ASTM D	
E>	xplosive properties	: Cla	ssification Co	de: Not classified
O	xidizing properties	: Da	ta not availabl	e
Co	onductivity	: Thi	s material is n	ot expected to be a static accumulator.

Version	Revision Date:	SDS Number:	Print Date: 2022-02-20
1.9	2022-02-19	800001003662	Date of last issue: 24.04.2021
			Date of first issue: 22.09.2010

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: The product does not pose any further reactivity hazards i addition to those listed in the following sub-paragraph.	n
Chemical stability	: Stable.	
Possibility of hazardous reac- tions	: Reacts with strong oxidising agents.	
Conditions to avoid	: Extremes of temperature and direct sunlight.	
Incompatible materials	: Strong oxidising agents.	
Hazardous decomposition products	: No decomposition if stored and applied as directed.	

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Basis for assessment	:	Information given is based on data on the components and
		the toxicology of similar products.Unless indicated otherwise,
		the data presented is representative of the product as a
		whole, rather than for individual component(s).

#### Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

#### Acute toxicity

## Product:

Acute oral toxicity	:	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

### Product:

Remarks: Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Based on available data, the classification criteria are not met.

Version	Revision Date:	SDS Number:
1.9	2022-02-19	800001003662

Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010

#### Serious eye damage/eye irritation

### Product:

Remarks: Slightly irritating to the eye. Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

#### Product:

Genotoxicity in vivo

: Remarks: Non mutagenic Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen. Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies.

Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	
Product:	
Effects on fertility	: Remarks: Not a developmental toxicant. Does not impair fertility. Based on available data, the classification criteria are not met.

Version	Revision Date:	SDS Number:	Print Date: 2022-02-20
1.9	2022-02-19	800001003662	Date of last issue: 24.04.2021
			Date of first issue: 22.09.2010

#### STOT - single exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal.

ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

### **SECTION 12. ECOLOGICAL INFORMATION**

Basis for assessment	<ul> <li>Ecotoxicological data have not been determined specifically for this product.</li> <li>Information given is based on a knowledge of the components and the ecotoxicology of similar products.</li> <li>Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).</li> </ul>
Ecotoxicity	
Product:	
Toxicity to fish (Acute toxici-	: 
ty)	Remarks: Based on available data, the classification criteria are not met.
	Practically non toxic:
	LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute	
toxicity)	Remarks: Based on available data, the classification criteria
/ 15	800001003662

are not met.       Practically non toxic: LL/EL/IL50 > 100 mg/l         Toxicity to algae/aquatic plants (Acute toxicity)       :       Remarks: Based on available data, the classification criter are not met.         Practically non toxic: LL/EL/IL50 > 100 mg/l       :       Practically non toxic: LL/EL/IL50 > 100 mg/l         Toxicity to fish (Chronic tox- icity)       :       Remarks: Based on available data, the classification criter are not met.         Toxicity to crustacean (Chronic toxicity)       :       Remarks: Based on available data, the classification criter are not met.         Toxicity to microorganisms (Acute toxicity)       :       Remarks: Based on available data, the classification criter are not met.         Product:       :       Remarks: Based on available data, the classification criter are not met.         Product:       :       Remarks: Based on available data, the classification criter are not met.         Product:       :       Remarks: Not readily biodegradable, but conta components that may persist in the environment. Persistent per INO Criteria. International OIP Ollution Compensation (IOPC) Fund defit ton: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distills at a temperature of 370°C (700°P) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulation       :       Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- cotanol/water       : <t< th=""><th>ersion )</th><th>Revision Date: 2022-02-19</th><th>-</th><th>9S Number: 0001003662</th><th>Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010</th></t<>	ersion )	Revision Date: 2022-02-19	-	9S Number: 0001003662	Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010
plants (Acute toxicity)       Remarks: Based on available data, the classification criter are not met.         Practically non toxic:       LL/EL/IL50 > 100 mg/l         Toxicity to fish (Chronic tox-icity)       : Remarks: Based on available data, the classification criter are not met.         Toxicity to crustacean (Chronic toxicity)       : Remarks: Based on available data, the classification criter are not met.         Toxicity to microorganisms (Acute toxicity)       : Remarks: Based on available data, the classification criter are not met.         Persistence and degradability       : Remarks: Based on available data, the classification criter are not met.         Persistence and degradability       : Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but conta components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defition: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulative potential       : Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- citanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       : Product:				Practically non to	
icity)       are not met.         Toxicity to crustacean (Chronic toxicity)       : Remarks: Based on available data, the classification criter are not met.         Toxicity to microorganisms (Acute toxicity)       : Remarks: Based on available data, the classification criter are not met.         Persistence and degradability       : Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but conta components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defit tion: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distills at a temperature of 340°C (645°F) and ( at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulative potential       : Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       : product:			:	are not met. Practically non to:	xic:
(Chronic toxicity)       are not met.         Toxicity to microorganisms (Acute toxicity)       : Remarks: Based on available data, the classification criter are not met.         Persistence and degradability       : Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but conta components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defition: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distils at a temperature of 340°C (645°F) and ( at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulative potential       : Product: Bioaccumulation       : : Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- octanol/water       : : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       : Product:		ity to fish (Chronic tox-	:		on available data, the classification criteria
(Acute toxicity)       are not met.         Persistence and degradability         Product:         Biodegradability       : Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but conta components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defition: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distills at a temperature of 340°C (645°F) and ( at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulative potential       : Product: Bioaccumulation       : : Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       : Product:			:		on available data, the classification criteria
Product:       Biodegradability       : Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contacomponents that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defition: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distils at a temperature of 340°C (645°F) and (at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulative potential       Product:         Product:       : Remarks: Contains components with the potential to bioaccumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       Product:			:		on available data, the classification criteria
Biodegradability       : Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contal components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defit tion: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distills at a temperature of 340°C (645°F) and (a at least 95% of which, by volume, distils at a temperature 370°C (700°F) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulative potential       : Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       : Product:	Persi	stence and degradabi	lity		
Biodegradability       : Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contal components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defit tion: "A non-persistent oil is oil, which, at the time of shipm consists of hydrocarbon fractions, (a) at least 50% of which by volume, distills at a temperature of 340°C (645°F) and (a at least 95% of which, by volume, distils at a temperature 370°C (700°F) when tested by the ASTM Method D-86/78 any subsequent revision thereof."         Bioaccumulative potential       : Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       : Product:	Prod	uct:			
Product:       Bioaccumulation       : Remarks: Contains components with the potential to bioac cumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       Product:			:	Major constituents components that Persistent per IM International Oil F tion: "A non-persi consists of hydroo by volume, distills at least 95% of w 370°C (700°F) wh	s are inherently biodegradable, but contains may persist in the environment. O criteria. Pollution Compensation (IOPC) Fund defini- stent oil is oil, which, at the time of shipmer carbon fractions, (a) at least 50% of which, a t a temperature of 340°C (645°F) and (b) hich, by volume, distils at a temperature of then tested by the ASTM Method D-86/78 or
Bioaccumulation       : Remarks: Contains components with the potential to bioaccumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       Product:	Bioad	cumulative potential			
Bioaccumulation       : Remarks: Contains components with the potential to bioaccumulate.         Partition coefficient: n- octanol/water       : log Pow: > 6 Remarks: (based on information on similar products)         Mobility in soil       Product:	Prod	uct:			
octanol/water     Remarks: (based on information on similar products)       Mobility in soil     Product:			:		ns components with the potential to bioac-
Product:			:		on information on similar products)
	Mobi	lity in soil			
	Prod	uct:			
If it enters soil, it will adsorb to soil particles and will not be mobile.	Mobil		:	If it enters soil, it v	under most environmental conditions. will adsorb to soil particles and will not be
Remarks: Floats on water.				Remarks: Floats	on water.

Version 1.9	Revision Date: 2022-02-19	SDS Number: 800001003662	Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010

## Other adverse effects

# Product:

Additional ecological infor- : mation	Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use.
	Poorly soluble mixture. Causes physical fouling of aquatic organisms.
	Mineral oil does not cause chronic toxicity to aquatic organ- isms at concentrations less than 1 mg/l.

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses</li> <li>Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.</li> <li>Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.</li> <li>MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.</li> </ul>
Contaminated packaging	<ul> <li>Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.</li> </ul>
Local legislation Remarks	: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Version Revision Da 1.9 2022-02-19

 Revision Date:
 S

 2022-02-19
 8

SDS Number: 800001003662

Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010

# SECTION 14. TRANSPORT INFORMATION

### **National Regulations**

TDG

Not regulated as a dangerous good

#### **International Regulations**

IATA-DGR

Not regulated as a dangerous good

# IMDG-Code Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

# **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

## The components of this product are reported in the following inventories:

REACH	: Not established.
TSCA	: All components listed.
DSL	: All components listed.
NZIoC	: Not established.

Version Revision Date: 1.9 2022-02-19

SDS Number: 800001003662

Print Date: 2022-02-20 Date of last issue: 24.04.2021 Date of first issue: 22.09.2010

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Sources of key data used to	: The quoted data are from, but not limited to, one or more
compile the Safety Data	sources of information (e.g. toxicological data from Shell
Sheet	Health Services, material suppliers' data, CONCAWE, EU
	IUCLID date base, EC 1272 regulation, etc).

Revision Date

: 2022-02-19

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.