

Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

1 Identification

Product Identifier: PG(CAN) Trans 50 5G

Stock Number: PFI50F5G

Other means of identification:

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

Recommended use: Transmission Fluid

Restrictions on use: Uses other than those described above

Initial Supplier Identifier: Highline Warren LLC

4500 Malone Road Memphis, TN 38118 +01 (901) 437-8615

Tel No.: +01 (901) 437-8615 **Email:** sds@highlinewarren.com

Emergency telephone number and any restrictions on the use of that number,

if applicable:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:

Skin Sensitisation Category 1

Serious Eye Damage/Eye Irritation Category 2

GHS Hazard class symbols:



Signal word: Warning

Hazard statements: May cause an allergic skin reaction. Causes serious eye irritation.

Precautionary statements:

Prevention: Avoid breathing dust/fume/gas/mist/ vapours/spray. Wash thoroughly

after handling. Contaminated work clothing must not be allowed out of

the workplace. Wear protective gloves/protective clothing/eye

protection/face protection.

Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing

and wash it before reuse.



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

> Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

Disposal: Dispose of contents/container to a suitable disposal site in accordance

with local/national/international regulations.

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Benzenesulfonic acid, propenated, calcium salt, overbased	No data available	68610-84-4	0.1 - 0.5
N N-bis(2-Ethylhexyl)-ar-methyl-1H- benzotnazole-1-methanamine	No data available	94270-86-7	0.1 - 0.5
Amines, C12-14-alkyl, C6-10-alkyl phosphates	No data available	68603-55-4	0.5 - 1.5
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	No data available	EPA-ACC-17799	1 - 5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	No data available	68411-46-1	1 - 5
1-Decene, homopolymer, hydrogenated	No data available	68037-01-4	5 - 10
Highly refined synthetic base stocks	No data available	64742-54-7	45 - 70

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Flush eyes with plenty of water for at least 20 minutes retracting eyelids Eye contact:

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and May cause an allergic skin reaction Causes serious eye irritation



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

effects, whether acute or delayed:

An indication of immediate medical attention and special treatment

needed, if necessary:

Specific treatment (see on this label).

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion:

Hazardous Combustion Products: Special protective equipment and

precautions for firefighters:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon dioxide, Carbon monoxide

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: Harmful or irritating material. Avoid contacting and avoid breathing the

material. Use only in a well ventilated area. Empty containers may retain product residues/vapors. Use proper bonding and grounding during bulk

product transfer.

Conditions for safe storage: Materials to Avoid/Chemical

Incompatibility:

Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Highly refined synthetic base stocks	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available

Canada – Northwest Territories – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

			T
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
anada – Nova Scotia – Occupation	al Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Canada – Nunavut – Occupational E	xposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Canada – Ontario – Occupational Ex	posure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Canada – Prince Edward Island – Oc	cupational Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Canada – Quebec – Occupational Ex	posure Limits:		
Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
Highly refined synthetic base stocks	No data available	No data available	No data available
Canada – Saskatchewan – Occupatio	onal Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
310010			



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

> Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Highly refined synthetic base stocks	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and

> replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Hand protection: Neoprene, Nitrile

General hygiene conditions: Wear protective gloves/protective clothing/eye protection/face

protection. Contaminated work clothing must not be allowed out of the

workplace. Wash thoroughly after handling.

9 Physical and chemical properties

Physical state: Liquid Colour: Yellow Odour: Mild

Petroleum

Odour threshold: Not determined pH: No data available No data available Melting point (°C): Freezing point (°C): No data available No data available

Initial boiling point and boiling range

(°C):



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

> Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

Not established

Not established

238 Flash point (°C):

Evaporation rate: No data available Flammability, in the case of solids and No data available

gases:

Upper flammable or explosive limit, %

in air:

Lower flammable or explosive limit, % in air:

Vapour pressure: No data available Vapour density: No data available

Relative density: 0.85 Solubility: Insoluble

Partition coefficient — n-octanol/water: No data available

No data available **Auto-ignition temperature (°C):** Decomposition temperature (°C): Not determined

Viscosity: 114.1

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Stable under normal conditions. Chemical stability:

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid, including static

discharge, shock or vibration:

Temperatures above the high flash point of this combustible material in

combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Strong oxidizing agents **Incompatible materials:** No data available Hazardous decomposition products:

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Ingestion, Inhalation, Skin contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

May cause an allergic skin reaction Causes serious eye irritation

Immediate effects from short term exposure:

Inhalation: Likely to be practically non-toxic based on animal data. No hazard in

normal industrial use.

Skin Contact: This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Classification is based on pH and the components listed in Section 3. **Eye Contact:**



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Sensitization: Contains a substance that may cause skin sensitization.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Severe ecological hazard. This product may be toxic to plants and/or

wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
N N-bis(2-Ethylhexyl)-ar- methyl-1H-benzotnazole-1- methanamine	94270-86-7	EC50 (48h) Daphnia magna 2.05 mg/L	Aquatic ERC50 (72h) Green Algae 0.976 mg/L	LC50 (96h) Rainbow Trout 1.3 mg/L
Amines, C12-14-alkyl, C6- 10-alkyl phosphates	68603-55-4	No data available	EC50 (48h) 0.58 mg/L	LC50 (96h) Rainbow Trout 1 - 10 mg/L
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No data available	No data available	LC50 (96h) DANIO RERIO > 100 mg/L
1-Decene, homopolymer, hydrogenated	68037-01-4	EC50 (48h) Daphnia magna 190 mg/L	No data available	LC50 (96h) Rainbow Trout > 1000 mg/L
Highly refined synthetic base stocks	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal,

including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by air (IATA):

UN number:Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Environmental hazards according to the

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II of the International Convention for the

Prevention of Pollution From Ships, 1973, as modified by the Protocol of

1978 (MARPOL 73/78) and the

International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with

transport or conveyance either within

No data available

No

No data available



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

or outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Highly refined synthetic base stocks	64742-54-7	Yes
1-Decene, homopolymer, hydrogenated	68037-01-4	Yes
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	Yes
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	Yes
N N-bis(2-Ethylhexyl)-ar-methyl-1H- benzotnazole-1-methanamine	94270-86-7	Yes
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)	
Highly refined synthetic base stocks	64742-54-7	No	
1-Decene, homopolymer, hydrogenated	68037-01-4	No	
Benzenamine, N-phenyl-, reaction	68411-46-1	No	
products with 2,4,4-trimethylpentene	00411-40-1	NO	
Amines, C12-14-alkyl, C6-10-alkyl	68603-55-4	No	
phosphates	00003-33-4	INO	
N N-bis(2-Ethylhexyl)-ar-methyl-1H-	94270-86-7	No	
benzotnazole-1-methanamine	94270-00-7	NO	
Benzenesulfonic acid, propenated,	68610-84-4	No	
calcium salt, overbased	00010-04-4	INO	

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Highly refined synthetic base stocks	64742-54-7	No	No	No	No	No	No	No
1-Decene, homopolymer, hydrogenated	68037-01-4	No	No	No	No	No	No	No



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

Benzenamine, N-phenyl-,								
reaction products with	68411-46-1	No	No	No	No	No	No	No
2,4,4-trimethylpentene								
Amines, C12-14-alkyl, C6-	68603-55-4	No	No	No	No	No	No	No
10-alkyl phosphates	00003-33-4	INO	INO	NO	INO	INO	INO	INO
N N-bis(2-Ethylhexyl)-ar-								
methyl-1H-benzotnazole-	94270-86-7	No	No	No	No	No	No	No
1-methanamine								
Benzenesulfonic acid,								
propenated, calcium salt,	68610-84-4	No	No	No	No	No	No	No
overbased								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Highly refined synthetic base stocks	64742-54-7	No	No	No	No	No
1-Decene, homopolymer, hydrogenated	68037-01-4	No	No	No	No	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No	No	No	No	No
Amines, C12-14-alkyl, C6- 10-alkyl phosphates	68603-55-4	No	No	No	No	No
N N-bis(2-Ethylhexyl)-ar- methyl-1H-benzotnazole- 1-methanamine	94270-86-7	No	No	No	No	No
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Highly refined synthetic	64742-54-7	No	No	No	No



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

base stocks					
1-Decene, homopolymer,	68037-01-4	No	No	No	No
hydrogenated	00037-01-4	NO	INO	INO	INO
Benzenamine, N-phenyl-,					
reaction products with	68411-46-1	No	No	No	No
2,4,4-trimethylpentene					
Amines, C12-14-alkyl, C6-	68603-55-4	No	No	No	No
10-alkyl phosphates	08003-33-4	No	INO	No	No
N N-bis(2-Ethylhexyl)-ar-					
methyl-1H-benzotnazole-	94270-86-7	No	No	No	No
1-methanamine					
Benzenesulfonic acid,					
propenated, calcium salt,	68610-84-4	No	No	No	No
overbased					

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Highly refined synthetic base stocks	64742-54-7	No
1-Decene, homopolymer, hydrogenated	68037-01-4	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	No
N N-bis(2-Ethylhexyl)-ar-methyl-1H-benzotnazole-1-methanamine	94270-86-7	No
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Highly refined synthetic base stocks	64742-54-7	No
1-Decene, homopolymer,	68037-01-4	No
hydrogenated	06037-01-4	NO
Benzenamine, N-phenyl-, reaction	68411-46-1	No



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

products with 2,4,4-trimethylpentene		
Amines, C12-14-alkyl, C6-10-alkyl	68603-55-4	No
phosphates	00003-33-4	NO
N N-bis(2-Ethylhexyl)-ar-methyl-1H-	94270-86-7	No
benzotnazole-1-methanamine	94270-00-7	INO
Benzenesulfonic acid, propenated,	68610-84-4	No
calcium salt, overbased	00010-04-4	INO

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Highly refined synthetic base stocks	64742-54-7	No
1-Decene, homopolymer, hydrogenated	68037-01-4	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	No
N N-bis(2-Ethylhexyl)-ar-methyl-1H- benzotnazole-1-methanamine	94270-86-7	No
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Highly refined synthetic base stocks	64742-54-7	No
1-Decene, homopolymer,	68037-01-4	No
hydrogenated	06037-01-4	INO
Benzenamine, N-phenyl-, reaction	40411 44 1	No
products with 2,4,4-trimethylpentene	68411-46-1	NO
Amines, C12-14-alkyl, C6-10-alkyl	68603-55-4	No
phosphates	06003-33-4	INO
N N-bis(2-Ethylhexyl)-ar-methyl-1H-	04270 04 7	No
benzotnazole-1-methanamine	94270-86-7	No
Benzenesulfonic acid, propenated,	68610-84-4	No
calcium salt, overbased	00010-04-4	INO



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Highly refined synthetic base stocks	64742-54-7	No
1-Decene, homopolymer, hydrogenated	68037-01-4	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	No
N N-bis(2-Ethylhexyl)-ar-methyl-1H- benzotnazole-1-methanamine	94270-86-7	No
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Highly refined synthetic base stocks	64742-54-7	No
1-Decene, homopolymer, hydrogenated	68037-01-4	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	No
N N-bis(2-Ethylhexyl)-ar-methyl-1H- benzotnazole-1-methanamine	94270-86-7	No
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Highly refined synthetic base stocks	64742-54-7	No



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21

21-08-2023

PG(CAN) Trans 50 5G

1-Decene, homopolymer, hydrogenated	68037-01-4	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	No
N N-bis(2-Ethylhexyl)-ar-methyl-1H- benzotnazole-1-methanamine	94270-86-7	No
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal
Highly refined synthetic base stocks	64742-54-7	No
1-Decene, homopolymer, hydrogenated	68037-01-4	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	No
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	No
N N-bis(2-Ethylhexyl)-ar-methyl-1H- benzotnazole-1-methanamine	94270-86-7	No
Benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	No

16 Other information

Date of the latest revision of the safety

07-09-2023

data sheet:

Revision Number:

7

Reason for revision:

Activated by Document Formulation Generation

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to



Stock Number: PFI50F5G

Date of the latest revision of the safety data sheet: 07-09-2023

Supercedes: 21-08-2023

PG(CAN) Trans 50 5G

comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.