

Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

PG(CAN) 85W-140 GO 5G

1 Identification

Product Identifier: PG(CAN) 85W-140 GO 5G

Stock Number: PFI5145G

Other means of identification:

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

**Recommended use:** Gear Oil

**Restrictions on use:** Uses other than those described above

Initial Supplier Identifier: Highline Warren LLC

4500 Malone Road Memphis, TN 38118 +01 (901) 437-8615

**Tel No.:** +01 (901) 437-8615 **Email:** sds@highlinewarren.com

Emergency telephone number and any

restrictions on the use of that number,

if applicable:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

### 2 Hazard identification

### Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise None known.

classified

**Health hazards not otherwise classified** None known.

### 3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Distillates, petroleum, solvent-dewaxed	No data available	64742-65-0	0.1 - 0.5
heavy paraffinic			
Petroleum distillates, solvent-refined	No data available	64741-88-4	0.1 - 0.5
heavy paraffinic			



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

> Supercedes: 21-08-2023

PG(CAN) 85W-140 GO 5G

1-Propene, 2-methyl-, sulfurized	No data available	68511-50-2	1 - 5
Petroleum distillates, hydrotreated	No data available	64742-54-7	3 - 7
heavy paraffinic			
Residual oils, petroleum, solvent-	No data available	64742-62-7	80 - 100
dewaxed			

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical

attention immediately. Provide medical care provider with this SDS.

The most important symptoms and effects, whether acute or delayed:

Eye irritation. May cause mild skin irritation.

An indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

> fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature

of any hazardous combustion:

**Hazardous Combustion Products:** 

Special protective equipment and precautions for firefighters:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Do not enter fire area without proper protection including self- contained

breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

PG(CAN) 85W-140 GO 5G

Methods and materials for containment and cleaning up:

circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

### 7 Handling and storage

Precautions for safe handling: Conditions for safe storage:

Materials to Avoid/Chemical

Incompatibility:

No special handling instructions due to toxicity.

Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

### 8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

#### Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

#### Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available

#### Canada – Manitoba – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

## PG(CAN) 85W-140 GO 5G

Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

### Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

### Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent-	5 mg/m3 TWA	No data available	No data available
dewaxed heavy paraffinic			

### Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic			

### Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

### **Canada – Nunavut – Occupational Exposure Limits:**

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

# PG(CAN) 85W-140 GO 5G

Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

### Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

### Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

### **Canada – Quebec – Occupational Exposure Limits:**

Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	No data available	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available

### Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic			

### **Canada - Yukon – Occupational Exposure Limits:**

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

> Supercedes: 21-08-2023

### PG(CAN) 85W-140 GO 5G

Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
heavy paraffinic				
Distillates, petroleum, solvent-	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic	_	_	_	

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

> handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

None required where adequate ventilation is provided. If airborne Respirator Type(s):

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: No special requirements under normal industrial use.

**Skin Protection:** Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile General hygiene conditions: No data available

### 9 Physical and chemical properties

Physical state: Liquid Colour: **Amber** Odour: Mild

Petroleum

**Odour threshold:** Not determined No data available pH: Melting point (°C): No data available No data available Freezing point (°C): No data available

Initial boiling point and boiling range

(°C):

Flash point (°C):

232

**Evaporation rate:** No data available Flammability, in the case of solids and No data available



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

### PG(CAN) 85W-140 GO 5G

gases:

Upper flammable or explosive limit, %

Not established

in air

Lower flammable or explosive limit, %

Not established

in air:

Vapour pressure:No data availableVapour density:No data available

Relative density: 0.89

**Solubility:** Not determined **Partition coefficient — n-octanol/water:** No data available

Auto-ignition temperature (°C): No data available Decomposition temperature (°C): Not determined

Viscosity: 367.7

10 Stability and reactivity

**Reactivity:** There are no known reactivity hazards associated with this product.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

Conditions to avoid, including static

Temperatures above the high flash point of this combustible material in

**discharge**, **shock or vibration**: combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

**Incompatible materials:** Strong oxidizing agents

**Hazardous decomposition products:** Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Skin contact, Ingestion, Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

Eye irritation. May cause mild skin irritation.

Immediate effects from short term exposure:

**Inhalation:** Likely to be practically non-toxic based on animal data. No hazard in

normal industrial use.

**Skin Contact:** This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

**Ingestion:** Estimated to be > 5.0 g/kg. No hazard in normal industrial use. **Sensitization:** No data available to indicate product or components may be a skin

sensitizer.



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

> Supercedes: 21-08-2023

PG(CAN) 85W-140 GO 5G

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**Reproductive and Developmental** 

**Toxicity:** 

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Based on available data, the classification criteria are not met. STOT-single exposure: **STOT-repeated exposure:** Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Aspiration hazard:

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

### 12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

### **Ecological Toxicity Data:**

Chemical Name	CAS registry	Aquatic EC50	Aquatic ERC50	Aquatic LC50 Fish
	number and any	Crustacea	Algae	
Distillator matualarum	unique identifiers	FCFO (40h) Dambaia	No doto ovelleble	1050 (0/ h)
Distillates, petroleum,	64742-65-0	EC50 (48h) Daphnia	No data available	LC50 (96h) Rainbow Trout >
solvent-dewaxed heavy paraffinic		magna > 1000 mg/L		5000 mg/L
Petroleum distillates,	64741-88-4	EC50 (48h) Daphnia	No data available	LC50 (96h)
solvent-refined heavy		magna > 1000 mg/L		Rainbow Trout >
paraffinic				5000 mg/L
(Z)-Octadec-9-enylamine	112-90-3	EC50 (48h) Daphnia	Aquatic ERC50	LC50 (96h)
		magna 0.011 mg/L	(96h) Green Algae	Pimephales
			0.04 mg/L	promelas (Fathead
				Minnow) 0.06 mg/L
1-Propene, 2-methyl-,	68511-50-2	EC50 (48h) Daphnia	No data available	LC50 (96h)
sulfurized		magna > 1000 mg/L		Pimephales
				promelas (Fathead
				Minnow) < 1000
				mg/L
				LC50 (96h)
				Pimephales
				promelas (Fathead
				Minnow) 250 - 500
				mg/L



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

### PG(CAN) 85W-140 GO 5G

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L		LC50 (96h) Rainbow Trout > 5000 mg/L
Residual oils, petroleum, solvent-dewaxed	64742-62-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

**Persistence and degradability:**Biodegrades slowly.

**Bioaccumulative potential:** Bioconcentration may occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

### 13 Disposal considerations

Information on safe handling for disposal and methods of disposal,

including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

#### 14 Transport information

#### Transportation of Dangerous Goods by land (TDG):

**UN number:** Not regulated for road transport

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

### International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

**UN number:** Not regulated by IATA

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

Environmental hazards according to the No

**International Maritime Dangerous Goods Code and the United Nations** 

**Model Regulations:** 

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships,

No data available



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

PG(CAN) 85W-140 GO 5G

1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)):

Special precautions in connection with transport or conveyance either within or outside the premises:

No data available

### 15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Residual oils, petroleum, solvent- dewaxed	64742-62-7	Yes
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
1-Propene, 2-methyl-, sulfurized	68511-50-2	Yes
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Yes
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	Yes

### Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Residual oils, petroleum, solvent- dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No

### Canada - Controlled Drugs and Substances:



**Stock Number:** PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

# PG(CAN) 85W-140 GO 5G

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No	No	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No	No	No	No	No	No	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No	No	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No	No	No	No	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

# PG(CAN) 85W-140 GO 5G

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No	No	No	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No

### Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

# Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Residual oils, petroleum, solvent- dewaxed	64742-62-7	No



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

# PG(CAN) 85W-140 GO 5G

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

## Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Residual oils, petroleum, solvent- dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

### **Stockholm Convention on Persistent Organic Pollutants:**

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Residual oils, petroleum, solvent-	64742-62-7	No
dewaxed	04742-02-7	NO
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-54-7	INO
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic	04/41-88-4	NO
Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	04742-00-0	INO

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:



Stock Number: PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

# PG(CAN) 85W-140 GO 5G

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Residual oils, petroleum, solvent- dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

### (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Residual oils, petroleum, solvent- dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

## Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Residual oils, petroleum, solvent-	44742 42 7	No
dewaxed	64742-62-7	INO
Petroleum distillates, hydrotreated	(4742 54 7	Mo
heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined	44741 00 4	No
heavy paraffinic	64741-88-4	No



**Stock Number:** PFI5145G

Date of the latest revision of the safety data sheet: 07-09-2023

**Supercedes:** 21-08-2023

## PG(CAN) 85W-140 GO 5G

Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic		

### Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal
Residual oils, petroleum, solvent- dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
1-Propene, 2-methyl-, sulfurized	68511-50-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

### 16 Other information

Date of the latest revision of the safety

data sheet:

**Revision Number:** 

Reason for revision:

Disclaimer:

07-09-2023

18

Activated by Document Formulation Generation

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.