

Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

1 Identification

Product Identifier: PG CAN 10W 30 330GL

Stock Number: PFI313I3

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

Recommended use: Motor Oil

Restrictions on use: Uses other than those described above

Initial Supplier Identifier: Highline Warren LLC

4500 Malone Road Memphis, TN 38118 +01 (901) 437-8615

Tel No.: +01 (901) 437-8615 **Email:** sds@highlinewarren.com

Emergency telephone number and any

restrictions on the use of that number,

if applicable:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, solvent-refined	No data available	64741-88-4	0.1 - 0.5
heavy paraffinic			
Zinc O,O,O',O'-tetrakis(1,3-	No data available	2215-35-2	0.5 - 1
dimethylbutyl) bis(phosphorodithioate)			



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

> Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Distillates, petroleum, hydrotreated light paraffinic	No data available	64742-55-8	1 - 5
Distillates, petroleum, solvent-dewaxed light paraffinic	No data available	64742-56-9	1 - 5
Highly refined synthetic base stocks	No data available	64742-54-7	1 - 5
Distillates, petroleum, solvent-dewaxed heavy paraffinic	No data available	64742-65-0	3 - 7
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	80 - 100

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical Ingestion:

attention immediately. Provide medical care provider with this SDS.

The most important symptoms and

effects, whether acute or delayed:

An indication of immediate medical attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

> fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion:

Hazardous Combustion Products:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Special protective equipment and

precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment

and cleaning up:

No special spill clean up considerations. Collect and discard in regular

trash.

7 Handling and storage

Precautions for safe handling: Conditions for safe storage:

Mildly irritating material. Avoid unnecessary exposure. Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available
Highly refined synthetic base stocks	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available

Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	No data available	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available
Highly refined synthetic base stocks	No data available	No data available	No data available

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
heavy paraffinic				
Distillates, petroleum, solvent-	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic				
Highly refined synthetic base stocks	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:



Respirator Type(s):

Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

> Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

> handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

Skin Protection: Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile General hygiene conditions: No data available

9 Physical and chemical properties

Physical state: Liquid Colour: **Amber** Odour: Mild

Petroleum

Odour threshold: Not determined No data available :Ha Melting point (°C): No data available Freezing point (°C): No data available No data available

Initial boiling point and boiling range

(°C):

220 Flash point (°C):

Evaporation rate: No data available Flammability, in the case of solids and No data available

gases:

Upper flammable or explosive limit, %

in air:

Not established

Lower flammable or explosive limit, %

in air:

Not established

Vapour pressure: No data available Vapour density: No data available

Relative density: 0.87 Solubility: Insoluble

Partition coefficient — n-octanol/water: No data available

No data available Auto-ignition temperature (°C): Decomposition temperature (°C): Not determined



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Viscosity: 68.6

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid, including static

Temperatures above the high flash point of this combustible material in

discharge, shock or vibration: combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

Eye contact, Ingestion, Inhalation, Skin contact

None known.

Immediate effects from short term exposure:

Inhalation: Likely to be practically non-toxic based on animal data.

Skin Contact: This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg.

Sensitization:No data available to indicate product or components may be a skin

sensitizer.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity:No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Zinc O,O,O',O'-tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2	EC50 (48h) Daphnia magna 4 - 6 mg/L	Aquatic ERC50 (96h) 1 - 5 mg/L	LC50 (96h) > 100 mg/L
Benzenamine, ar-nonyl-N- (nonylphenyl)-	36878-20-3	EC50 (48h) Daphnia magna > 100 mg/L	EC50 (72h) Green Algae > 100 mg/L	LC50 (96h) Pimephales promelas (Fathead Minnow) > 1000 mg/L
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Highly refined synthetic base stocks	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability:Does not biodegrade readily.
Bioaccumulative potential:
Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number:Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

UN number:Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Environmental hazards according to the

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II No data available of the International Convention for the

Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the

International Code for the Construction

and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with

transport or conveyance either within

or outside the premises:

No data available

No

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	Yes
Highly refined synthetic base stocks	64742-54-7	Yes
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	Yes
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9	Yes
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2215-35-2	Yes
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		
Distillates, petroleum, solvent-dewaxed	64742-65-0	No
heavy paraffinic	317 12 00 0	110
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated	/ 4742 FF 0	Ma
light paraffinic	64742-55-8	No
Distillates, petroleum, solvent-dewaxed	64742-56-9	No
light paraffinic	04/42-30-9	NO
Zinc O,O,O',O'-tetrakis(1,3-	2215 25 2	No
dimethylbutyl) bis(phosphorodithioate)	2215-35-2	No
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic	04/41-00-4	INO

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No	No	No	No	No	No	No
paraffinic								



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Distillates, petroleum,								
solvent-dewaxed heavy	64742-65-0	No	No	No	No	No	No	No
paraffinic								
Highly refined synthetic	64742-54-7	No	No	No	No	No	No	No
base stocks	04742-34-7	NO	NO	NO	INO	NO	INO	INO
Distillates, petroleum,								
hydrotreated light	64742-55-8	No	No	No	No	No	No	No
paraffinic								
Distillates, petroleum,								
solvent-dewaxed light	64742-56-9	No	No	No	No	No	No	No
paraffinic								
Zinc 0,0,0',0'-								
tetrakis(1,3-	2215-35-2	No	No	No	No	No	No	No
dimethylbutyl)	2213-33-2	NO	INO	NO	INO	NO	INO	110
bis(phosphorodithioate)								
Petroleum distillates,								
solvent-refined heavy	64741-88-4	No	No	No	No	No	No	No
paraffinic								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No
Highly refined synthetic base stocks	64742-54-7	No	No	No	No	No
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9	No	No	No	No	No
Zinc O,O,O',O'-	2215-35-2	No	No	No	No	No



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

tetrakis(1,3-						
dimethylbutyl)						
bis(phosphorodithioate)						
Petroleum distillates,						
solvent-refined heavy	64741-88-4	No	No	No	No	No
paraffinic						

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No
Highly refined synthetic base stocks	64742-54-7	No	No	No	No
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	No	No	No	No
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9	No	No	No	No
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2	No	No	No	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	No
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	No
Zinc O,O,O',O'-tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated	44742 54 7	No
heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	04742-03-0	IVO
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated	64742-55-8	No
light paraffinic	04/42-00-0	
Distillates, petroleum, solvent-	64742-56-9	No
dewaxed light paraffinic	04742-30-9	
Zinc O,O,O',O'-tetrakis(1,3-		
dimethylbutyl)	2215-35-2	No
bis(phosphorodithioate)		
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic	04/41-00-4	



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	No
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	No
Zinc O,O,O',O'-tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	NO
Distillates, petroleum, solvent-	44742.45.0	No
dewaxed heavy paraffinic	64742-65-0	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated	4.47.42 EE O	No
light paraffinic	64742-55-8	
Distillates, petroleum, solvent-	64742-56-9	No
dewaxed light paraffinic	04742-30-9	
Zinc O,O,O',O'-tetrakis(1,3-		
dimethylbutyl)	2215-35-2	No
bis(phosphorodithioate)		
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic	04/41-00-4	INO

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:



Stock Number: PFI313I3

 $\textbf{Date of the latest revision of the safety data sheet:} \quad 21\text{-}08\text{-}2023$

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	No
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	No
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2215-35-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	No
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	No
Zinc O,O,O',O'-tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

Supercedes: 20-08-2023

PG CAN 10W 30 330GL

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		
Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	317 12 33 3	110
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated	64742-55-8	No
light paraffinic	04742-33-6	INU
Distillates, petroleum, solvent-	44742.54.0	No
dewaxed light paraffinic	64742-56-9	No
Zinc O,O,O',O'-tetrakis(1,3-		
dimethylbutyl)	2215-35-2	No
bis(phosphorodithioate)		
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic	04/41-00-4	INO

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	No
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	No
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2215-35-2	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No



Stock Number: PFI313I3

Date of the latest revision of the safety data sheet: 21-08-2023

> Supercedes: 20-08-2023

PG CAN 10W 30 330GL

16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number:

21-08-2023

Reason for revision: 090DH020 Standard Phrase Change Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.