

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 11-Jun-2020 Revision Date 11-Jun-2020 Revision Number 1

1. Identification

Product identifier

Product Name AMSOIL Signature Series SAE 10W-30 100% Synthetic Motor Oil

Other means of identification

Product Code(s) ATM

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Lubricating Oil

Restrictions on use Avoid formation of mists.

Details of the supplier of the safety data sheet

Supplier Address Manufacturer Address

AMSOIL INC. AMSOIL INC.

 14328-121A Ave
 One AMSOIL Center

 Edmonton, AB T5L 2T2
 Superior, WI 54880, USA

 T: 877-830-4769
 T: +1 715-392-7101

E-mail compliance@amsoil.com

Emergency telephone number

Emergency telephone CHEMTREC: Within USA and Canada: 1-800-424-9300

Outside the USA and Canada: +1 703-741-5970

(collect calls accepted) 24/7

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Label elements

Not classified

Hazard statements

.

Other information

Causes mild skin irritation.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Hydrogenated base oil	72623-87-1	50-55	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	1-5	-	-
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters,	68649-42-3	1-5	-	-
zinc salts				
Hydrogenated base oil	64742-65-0	1-2.5	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Chemical Additions

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

4. First-aid measures

Description of first aid measures

General advice Get medical attention if symptoms occur. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing.

Eye contact Remove contact lenses, if present and easy to do. Continue rinsing. Rinse thoroughly with

plenty of water, also under the eyelids. Keep eye wide open while rinsing.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms May cause gastrointestinal discomfort if consumed in large amounts. May cause temporary

eye irritation. May cause skin irritation in susceptible persons. Prolonged contact may

cause redness and irritation.

Amount dignature defice data for do foods dynamous motor di

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Revision Date: 11-Jun-2020

Unsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not handle until all safety precautions have been read and understood. Ensure

adequate ventilation. Use personal protective equipment as required. See section 8 for

more information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After

cleaning, flush away traces with water.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections For additional information see: Section 8: Exposure controls/personal protection;

Section 12: Ecological information; Section 13: Disposal considerations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Avoid contact with used product. Handle all packages and containers carefully to minimize

(M)SDS Number UL-ASL-044 Page 3 / 10

Amoone dignature deries dae 100% dynametre motor di

spills. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. See section 8 for more information.

Revision Date: 11-Jun-2020

Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from incompatible materials. See section 10 for more information. Do not reuse

empty containers. Keep containers tightly closed in a cool, well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following constituents are the only constituents of the product which have a PEL, TLV

or other recommended exposure limit. At this time, the other constituents have no known exposure limits. Under conditions which may generate mists, the following exposure limits are recommended:. Long-term exposure limit (8-hour TWA): 5 mg/m³. Short-term exposure

limit (15-minute): 10 mg/m³.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hydrogenated base oil 64742-65-0	TWA: 5 mg/m ³ (inhalable fraction)	PEL: 5 mg/m ³ (mist)	REL: 5 mg/m³(mist) STEL: 10 mg/m³(mist) REL: 350 mg/m³ Ceiling limit: 1,800 mg/m³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to

comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection If there is a risk of contact:. Wear safety glasses with side shields (or goggles).

Hand protection If there is a risk of contact: Wear suitable gloves. Ensure that the breakthrough time of the

glove material is not exceeded. Refer to glove supplier for information on breakthrough time

for specific gloves.

Skin and body protection If there is a risk of contact:. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

General hygiene considerations Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice. Take off contaminated clothing and wash it before

reuse. Wash thoroughly after handling.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Color amber

Odor Mild Hydrocarbon-like
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point 230 °C / 446 °F Cleveland Open Cup ASTM D 92

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known Relative density 0.8644 None known Water solubility No data available None known Solubility(ies) No data available None known No data available Partition coefficient None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity 62.3 cSt @ 40°C ASTM D445

10.0 cSt @ 100°C

Dynamic viscosity No data available None known

No information available.

Other information Explosive properties

Oxidizing properties No information available. Softening point No information available **Pour Point** -47°C [ASTM D 97] 256°C (COC)[ASTM D 92] **Fire Point** No information available Molecular weight **VOC Content (%)** No information available **Liquid Density** No information available **Bulk density** No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoidNone known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure if inhaled.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause temporary eye irritation. May cause skin irritation in susceptible persons.

Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogenated base oil	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Hydrogenated base oil	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. May cause skin irritation.

Component Information		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion	
Species	Rabbit	
Exposure route	Dermal	
Effective dose	0.5 mL	
Exposure time 4 hours		
Results	Mild skin irritant	

Serious eve damage/eve irritation Based on available data, the classification criteria are not met.

conductor admagacy conn	Bacca on available data, the diacomeditor entena are not met.	
Component Information		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion	
Species	Rabbit	
Exposure route	Eye	
Effective dose	0.1 mL	
Results	non-irritant	

AMSOIL Signature Series SAE 10W-30 100% Synthetic Motor Oil

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity The classification listed below for the petroleum distillates in this product pertains to those

that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens. Based on

Revision Date: 11-Jun-2020

available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrogenated base oil 64742-65-0	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Due to the viscosity, this product does not present an aspiration hazard.

12. Ecological information

Ecotoxicity

Large or frequent spills may have hazardous effects on the environment. .

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Hydrogenated base oil	-	LC50: >5000mg/L (96h,	=	EC50: >1000mg/L (48h,
72623-87-1		Oncorhynchus mykiss)		Daphnia magna)
Benzenamine, N-phenyl-,	EC50: 51mg/L	LC50: >100mg/L (96h,	=	-
reaction products with	(48h, Daphnia magna)	Danio rerio)		
2,4,4-trimethylpentene				
68411-46-1				
Phosphorodithioic acid,	-	LC50: 1.0 - 5.0mg/L	-	EC50: 1 - 1.5mg/L (48h,
O,O-di-C1-14-alkyl esters, zinc		(96h, Pimephales		Daphnia magna)
salts		promelas) LC50: 10.0 -		
68649-42-3		35.0mg/L (96h,		
		Pimephales promelas)		
Hydrogenated base oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
64742-65-0		Oncorhynchus mykiss)		Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Component information	
Chemical name	Partition coefficient
Benzenamine, N-phenyl-, reaction products with	6.66
2,4,4-trimethylpentene	

68411-46-1

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Recover or recycle if possible. Dispose of waste in accordance with environmental

legislation. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

Chemical name	California Hazardous Waste Status
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Toxic
68649-42-3	

14. Transport information

DOT Not regulated

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Hydrogenated base oil	64742-65-0	Present	Active

DSL/NDSL Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

,

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts -	1.0
68649-42-3	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts 68649-42-3	-	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphorodithioic acid,	X	-	X
O,O-di-C1-14-alkyl esters, zinc			
salts			
68649-42-3			
Diphenylamine	X	X	X
122-39-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

ANODO Namber IIII AOL 044

Amount dignature defined data for de volución dignatura motor di

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 11-Jun-2020

Revision Date 11-Jun-2020

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet