

Revision Date 13-May-2019

# SAFETY DATA SHEET

Version 10

# **1. IDENTIFICATION**

#### Product identifier Product Name

PC PERMANENT STRENGTH THREADLOCKER RED 36ML

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseAdhesiveUses advised againstNo information available

26242

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

#### Label elements

#### **Emergency Overview**

<u>Signal word</u> Warning

Causes skin irritation Causes serious eye irritation Suspected of causing cancer May cause respiratory irritation



Physical state Liquid

Odor Mild

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

# **Other Information**

Not applicable

Unknown acute toxicity

27.57 % of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
DIMETHYLBENZYL	80-15-9	1 - 5
HYDROPEROXIDE		
CUMENE	98-82-8	0.1 - 1

# 4. FIRST AID MEASURES

#### Description of first aid measures

General adviceGet medical advice/attention if you feel unwell.Eye contactIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if<br/>present and easy to do. Continue rinsing. If eye irritation persists: Get medical

	advice/attention.	
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	See section 2 for more information.	
Indication of any immediate medic	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical,	Foam	
<u>Unsuitable extinguishing media</u> None		
Specific hazards arising from the c None in particular.	<u>:hemical</u>	
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.	
Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and sl Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containm	nent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shove into suitable containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Avoid breathing<br/>vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.<br/>Wash contaminated clothing before reuse. Use personal protective equipment as required.Conditions for safe storage, including any incompatibilitiesKeep tightly closed in a dry and cool place.

Incompatible materials

Strong oxidizing agents, Peroxides, Reducing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
CUMENE	TWA: 50 ppm	TWA: 50 ppm	IDLH: 900 ppm
98-82-8		TWA: 245 mg/m <sup>3</sup>	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 245 mg/m <sup>3</sup>
		(vacated) TWA: 245 mg/m <sup>3</sup>	
		(vacated) S*	
		`S* ´	

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical Physical state Appearance Odor Odor threshold	and chemical properties Liquid Red Mild No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point	<u>Values</u> No information available No information available > 200 °C / > 392 °F 131 °C / 268 °F	<u>Remarks • Method</u>

Evaporation rate Flammability (solid, gas)	No information available No information available	
Flammability Limit in Air Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	Air = 1
Relative density	1.02	
Water solubility	Immiscible in water	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	1,900 mPas @ 20°C (68°F)	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	1.05% (10.7 g/L)	
Density	No information available	
Bulk density	No information available	
SADT (self-accelerating	No information available	
decomposition temperature)		

# **10. STABILITY AND REACTIVITY**

#### <u>Reactivity</u> No information available

#### <u>Chemical stability</u> Stable under normal conditions

# Possibility of Hazardous Reactions

None under normal processing.

# Conditions to avoid

Excessive heat.

#### Incompatible materials

Strong oxidizing agents, Peroxides, Reducing agents

#### Hazardous Decomposition Products

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	May cause irritation of res	May cause irritation of respiratory tract.		
Eye contact	Contact with eyes may car	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.		
Skin contact	May cause skin irritation a	May cause skin irritation and/or dermatitis.		
Ingestion	Ingestion may cause irritat	Ingestion may cause irritation to mucous membranes.		
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
DIMETHYLBENZYL	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h	

HYDROPEROXIDE 80-15-9				
CUMENE 98-82-8	= 1400 mg/kg	(Rat) = 12300	) µL/kg (Rabbit)	> 3577 ppm (Rat) 6 h = 39000 mg/m <sup>3</sup> (Rat) 4 h
Information on toxicologi	ical effects			
Symptoms	No informatio	n available.		
Delayed and immediate e	effects as well as chronic	effects from short and	long-term exposure	_
Sensitization	No informatio	n available.		
Germ cell mutagenicity	No informatio	n available.		
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
ear en regenony			in ageney has holed a	iy ingreaterit as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
				OSHA
Chemical Name CUMENE 98-82-8 IARC (International Ager Not classifiable as a huma Group 2B - Possibly Carco NTP (National Toxicolog Reasonably Anticipated -	ACGIH - ncy for Research on Cancel an carcinogen inogenic to Humans	IARC Group 2B	NTP Reasonably Anticipa	OSHA

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

29.5 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical Name	Partition coefficient
CUMENE	3.7
98-82-8	

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable
CUMENE	Toxic
98-82-8	Ignitable

# **14. TRANSPORT INFORMATION**

#### DOT

Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION		
International Inventories		
TSCA	Complies	
DSL/NDSL	Complies	
EINECS/ELINCS	Not determined	
ENCS	Complies	
IECSC	Complies	
KECL	Complies	
PICCS	Complies	
AICS	Not Listed	

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0	
SACCHARIN - 81-07-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

Personal protection B

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			
CUMENE	5000 lb	-	RQ 5000 lb final RQ
98-82-8			RQ 2270 kg final RQ

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
CUMENE - 98-82-8	Carcinogen

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	X	X	X
SACCHARIN 81-07-2	X	X	X
CUMENE 98-82-8	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2B - Toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Instability 0

Physical hazards 0

NFPA	Health hazards	2	Flammability	1
HMIS	Health hazards	2	Flammability	1

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

13-May-2019

Revision Date Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**